

目 次

第37回日本血液事業学会総会のご案内	1
総説 輸血用血液製剤の外観確認	秋野 光明ほか 9
原著 血小板輸血患者から検出されたHPA-15抗体について	田原 綾乃ほか 25
新しい赤血球保冷剤の開発と採用について	
—赤血球製剤供給時の温度管理—	福島 智史ほか 31
成分献血者における心電図の異常所見と採血適否判定の検討	大木美栄子ほか 39
報告 秋田県における血液センターによる医療機関への	
技術協力について	鎌田 博子ほか 45
医療機関の輸血検査体制に合わせた輸血検査講習会の試み	
～中国四国地域における血液事業の広域事業運営体制導入に	
向けた取り組み～	國米 修平ほか 51
血液製剤の備蓄所に設置している血液保管庫の	
インターネット遠隔監視システムを用いた温度管理	大坪 正道ほか 57
遡及調査にて77日前の献血時のHBVウイルス血症が確認できた	
急性B型肝炎の1例	本田 豊彦ほか 63
第36回日本血液事業学会総会	
シンポジウム3	69
シンポジウム4	93
シンポジウム5	113
シンポジウム6	133
ワークショップ1	145
ワークショップ2	171
ワークショップ3	189
ワークショップ4	203
イブニングセミナー1	223
イブニングセミナー2	227
平成25年度日本血液事業学会会員名簿	233

CONTENTS

Visual inspection of blood component for transfusion	Mitsuaki Akino <i>et al.</i>	9
Alloantibodies against Human Platelet Antigen (HPA)-15 detected in Japan from the patients with platelet transfusion refractoriness	Ayano Tahara <i>et al.</i>	25
Improvement of new cold-pack for red blood cells —Temperature control of red blood cell products—.....	Tomoshi Fukushima <i>et al.</i>	31
Analysis of abnormal ECG and suitability for blood donation in apheresis donors	Mieko Ohki <i>et al.</i>	39
Technical support to regional medical institution in Akita prefecture by the Akita Red Cross Blood Center	Hiroko Kamata <i>et al.</i>	45
Trials of blood-type workshop tailored to each medical institution: Toward the introduction of broad-area blood services in Chugoku-Shikoku area, Japan	Shuhei Kokumai <i>et al.</i>	51
Thermal management of the blood components stored in the designated medical institutions by using internet remote monitoring system	Masamichi Otsubo <i>et al.</i>	57
A case of acute hepatitis B virus infection: The lookback program showed that HBV was recognized in the 77days ago donation sample	Toyohiko Honda <i>et al.</i>	63