

目次

第39回日本血液事業学会総会のご案内	1
原著 生理食塩液法および酵素法による	
不規則抗体スクリーニングの臨床的意義	久保 晴敬ほか 9
リピートドナーの赤血球回復状態の検討	大久保理恵ほか 15
静脈還流低下の予防によるVVR抑制効果について	
【VVR発生機序に関する一考察】	比嘉 洋平ほか 21
血小板献血者におけるBlood Donation Reaction Inventory (BDRI)	
スコアと血管迷走神経反射(VVR)の関係	松井 智美ほか 27
離島(小笠原諸島)への輸血用血液製剤の供給	
一新たな血液搬送機材の開発	飴谷利江子ほか 33
洗浄血小板製剤の調製を膜型血漿分離器で行うための基礎研究	小野寺秀一ほか 39
報告 神経損傷にて受診を要した事例の分析	徳富 純子ほか 51
トリマクセルの血漿リンスバック機能を使用した	
低体重女性からの血小板採血の安全性	井上 陽子ほか 57
北海道赤十字血液センターにおける	
血小板成分献血者のVVR発生要因の分析	一家八重子ほか 61
第37回日本血液事業学会総会	
シンポジウム4	69
シンポジウム5	89
シンポジウム6	97
シンポジウム7	111
シンポジウム8	125
シンポジウム9	143
教育講演1	161
教育講演2	167
教育講演4	171
ワークショップ	177
特別企画1	189
特別企画2	195
平成27年度日本血液事業学会会員名簿	225

CONTENTS

Clinical significance of irregular antibody screening with saline and enzyme technique	Harutaka Kubo <i>et al.</i>	9
Red cell recovery after 400mL donation of repeat donors	Rie Okubo <i>et al.</i>	15
Prevention of venous return decrease reduces vasovagal reaction in blood donors	Yohei Higa <i>et al.</i>	21
Relation between vasovagal reactions and blood donation reaction inventory (BDRI) scoring in platelet apheresis donors	Satomi Matsui <i>et al.</i>	27
Development of new transportation equipment for supplying Red Blood Cells to a remote island (Ogasawara Islands).....	Rieko Ametani <i>et al.</i>	33
Basic study to prepare an irrigation platelet preparation with a membrane plasma separator	Hidekazu Onodera <i>et al.</i>	39
Analysis of the cases needed medical care on blood donation related nerve injuries	Junko Tokutomi <i>et al.</i>	51
Safety of platelet apheresis using plasma-assisted rinseback program in Trima Accel	Yoko Inoue <i>et al.</i>	57
Risk factors leading to vasovagal reaction in platelet donors in Hokkaido	Yaeko Ikka <i>et al.</i>	61